LEPSER
GERMANY

B2B DISTRIBUTION FOR BEAUTY STUDIOS · DÜSSELDORF

Product catalogue 2026

Professional beauty technology for beauty studios and clinics.
24 devices in our range.

DE EN RU UA



ABOUT LEPSER GERMANY

Laser and beauty technology for your studio

LEPSER Germany supplies professional devices for hair removal, skin care and body contouring. With personal consultation, staff training and a dedicated contact person in Düsseldorf. We supply every device with a white or black housing, as you prefer. Professional beauty technology for beauty studios and clinics. We sell to business customers only.

01

Consultation

We discuss your treatment menu, target group and budget.

02

Demonstration

See the device in action, by appointment in Düsseldorf.

03

Delivery & training

We deliver, commission the device and train your team.

04

Service

One contact person for questions, maintenance and spare parts.

Note for laser, IPL and HIFU users: Since 2021 the German NiSV regulation applies. Anyone using laser, IPL or HIFU cosmetically on people needs a certificate of competence. We sell our devices to business customers only.

Contents

HAIR REMOVAL

- 4D TECLASER 3
- 1064 nm Long Pulse Laser 4
- Multifunctional DPL 5

PIGMENT & TATTOO

- Q-Switch Nd:YAG Laser 6
- (Super) Picosecond Laser 7

FACE & SKIN

- 360 Ultra HIFU 8
- Golden Age Microneedling RF 9
- All in One Hydrafacial 10
- Queen Light 11
- Ultrapulse Fractional CO_2 Laser 12
- 1927 nm Fractional Thulium Laser 13
- 20 MHz Cold CRF 14
- Ultra Tone 2 in 1 15
- ME-TIME 16
- Hydra Magic 17

BODY CONTOURING

- 360° Cryolipolysis COOL 360 18
- Muscle Building Machine 19
- Multishape Body Slimming System VS+ / VS++ 20
- Ande Smart 21
- 1060 nm Diode Laser Shape (LaserShape-A) 22
- Legenda 448 kHz 23
- ME BELLA 24

SKIN ANALYSIS

- ViewSkin 4D Skin Analyzer 25
- ViewSkin Medical Skin Analyzer 26



Diode · 755 / 808 / 940 / 1064 nm

DIODE LASER · HAIR REMOVAL

4D TECLASER

The 4D TECLASER combines four wavelengths in one handpiece, covering fine, light hair as well as darker skin types. It comes in three power versions: 2400 W, 1600 W and 600 W. High energy density and multi-level cooling keep sessions quick and comfortable.

SPECIFICATIONS

Power versions	2400 W / 1600 W / 600 W
Wavelengths	755 / 808 / 940 / 1064 nm
Frequency	1–10 Hz
Cooling	Air + water + TEC, 5 levels
Handpiece	With touchscreen, optional Facial Tip
Skin types	I–VI
Housing colour	White or black, as you prefer

APPLICATIONS

- Long-lasting hair reduction on the body
- Facial hair reduction, with the optional Facial Tip also around ears, nostrils and glabella
- Light and fine hair
- Hair reduction on darker skin types
- Programmes for women and men

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of lasers on people.

Four wavelengths combined

755, 808, 940 and 1064 nm work together, so one device covers a wide range of skin and hair types.

Touchscreen handpiece

The handpiece has its own display. You can view and adjust parameters directly on the handpiece.

Triple cooling

Air, water and TEC cooling with five adjustable levels for a comfortable treatment feel.

Details online →



Nd:YAG Long Pulse · 1064 nm

LONG PULSE ND:YAG LASER · HAIR REMOVAL

1064 nm Long Pulse Laser

The 1064 nm Long Pulse Laser is a long pulse Nd:YAG laser designed mainly for darker skin types. Besides hair reduction, it is used for skin rejuvenation and visible redness. The laser source is a Japanese Mitsubishi fiber laser with high, stable output.

SPECIFICATIONS

Wavelength	1064 nm
Frequency	1–10 Hz
Spot size	2–10 mm
Laser source	Mitsubishi fiber laser (Japan)
Cooling	Skin contact cooling
Screen	10.4"
Dimensions (W × D × H)	33 × 86 × 92 cm
Housing colour	White or black, as you prefer

APPLICATIONS

- Long-lasting hair reduction, especially on darker skin types
- Skin rejuvenation
- Visible redness and fine veins

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of lasers on people.

Made for darker skin

The 1064 nm wavelength is suited to darker skin types, so you can serve clients for whom many other systems are less suitable.

Variable spot

Spot size 2 to 10 mm and frequency 1 to 10 Hz, both adjustable, for small and large areas.

Contact cooling

Cooling directly at the skin surface supports a comfortable treatment feel.

Details online →



DPL / IPL · 530–750 nm

DPL / IPL SYSTEM · HAIR REMOVAL

Multifunctional DPL

The Multifunctional DPL is an advanced form of classic IPL technology. Its two handpieces cover hair reduction, skin rejuvenation, pigment spots and visible redness. Two working modes, In-Motion and Stamp, adapt to the area and treatment goal.

SPECIFICATIONS

Wavelengths	530–750 nm / 640–750 nm
Handpieces	2, German xenon lamp, up to 1 million shots each
Spot size	10 × 50 mm
Operating modes	In-Motion (up to 10 shots/s) and Stamp
Cooling	Air + water + semiconductor
Screen	15"
Weight	56 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Long-lasting hair reduction
- Skin rejuvenation and a more even complexion
- Pigment spots
- Visible redness
- Refined skin texture after blemished skin

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of IPL and DPL devices on people.

Narrow DPL spectrum

Light concentrated at 530 to 750 nm plus two-step filtering gives a purer wavelength for more targeted work.

In-Motion and Stamp

In-Motion mode with up to 10 shots per second covers large areas quickly, while Stamp mode places single shots precisely.

Two long-life handpieces

Both handpieces use a German xenon lamp and are each rated for up to 1 million shots.

Details online →



Q-Switch Nd:YAG · 1064 / 532 nm

Q-SWITCHED ND:YAG LASER · PIGMENT & TATTOO

Q-Switch Nd:YAG Laser

The Q-Switch Nd:YAG Laser is the workhorse for tattoo removal and pigment treatments. With two wavelengths, 1064 and 532 nm, it works on tattoos in many colours, permanent make-up and pigment spots. A second handpiece is designed for skin rejuvenation and carbon peel.

SPECIFICATIONS

Wavelengths	1064 / 532 nm
Energy	Single pulse 1300 mJ, double pulse 1600 mJ
Handpieces	2: 1064/532 nm and skin rejuvenation
Articulated arm	7-joint arm from Korea, transmission loss below 10 %
Programmes	5 selectable functions
Screen	10.4"
Voltage	220 V / 110 V
Housing colour	White or black, as you prefer

APPLICATIONS

- Tattoo removal in many colours
- Removal of lip liner and eyeliner permanent make-up
- Pigment spots
- More even complexion and skin rejuvenation
- Carbon peel

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of lasers on people.

High pulse energy

Up to 1300 mJ in single pulse and 1600 mJ in double pulse, with stable output from the patented laser generator.

Korean articulated arm

The 7-joint arm transmits light with less than 10 % loss and moves freely.

Two standard handpieces

One handpiece for 1064 and 532 nm and one for skin rejuvenation are included.

Details online →



Picosecond · 1064 / 532 nm

PICOSECOND LASER · PIGMENT & TATTOO

(Super) Picosecond Laser

The (Super) Picosecond Laser works with ultra-short pulses and is built for removing coloured tattoos and treating pigment spots. It comes in two models: PS2014 with 750 ps and PS10 with 450 ps pulse width. Both work with 1064 and 532 nm.

SPECIFICATIONS

Models	PS2014 / PS10
Wavelengths	1064 / 532 nm
Pulse width	750 ps (PS2014) / 450 ps (PS10)
Frequency	1–10 Hz
Spot size	2–10 mm
Screen	10.4" (PS2014) / 15" (PS10)
Handpieces	2: 1064/532 nm and honeycomb
Housing colour	White or black, as you prefer

APPLICATIONS

- Body tattoo removal
- Removal of eyebrow and eyeliner permanent make-up
- Pigment spots and age spots
- Freckles
- Skin toning for a more even complexion

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of lasers on people.

Picosecond pulses

With 750 ps on the PS2014 and 450 ps on the PS10, pigment is broken down very finely with a low heat effect.

Two models

PS2014 with a 10.4-inch display or PS10 with a 15-inch display: choose by pulse width and ease of use.

Automatic protection system

The software offers several selectable functions and an automatic protection system for smooth operation.

Details online →



HIFU · 1,5–13 mm

HIFU DEVICE · FACE & SKIN

360 Ultra HIFU

360 Ultra HIFU delivers focused ultrasound to deep skin layers without damaging the surface. With cartridges for face and body, one system covers lifting treatments and contouring. A core device for any anti-ageing menu.

SPECIFICATIONS

Technology	High-intensity focused ultrasound (HIFU)
Facial cartridges	1.5 mm (optional) / 3.0 mm / 4.5 mm
Body cartridges	7.0 mm / 13.0 mm
Handpieces	3
Operation	Automatic cartridge detection, shot counter
Screen	15"
Dimensions	B 40 × T 45 × H 60 cm
Housing colour	White or black, as you prefer

APPLICATIONS

- Lifting effect for face and neck
- Skin firming
- Smoothing wrinkles
- Improving skin elasticity
- Body contouring
- Firming the buttock area

Note: in Germany, HIFU is covered by the NiSV regulation, and cosmetic use on people requires a certificate of competence (Fachkundenachweis).

Face and body

Cartridges from 1.5 to 4.5 mm for the face, 7 and 13 mm for the body.

Smart cartridges

Depth is detected automatically on insertion, and remaining shots are always visible.

Large screen

15-inch display with adjustable parameters for different body areas.

Details online →



Microneedling RF · 0,5–3,5 mm

MICRONEEDLING RF DEVICE · FACE & SKIN

Golden Age Microneedling RF

Golden Age combines microneedling and radiofrequency in one handpiece. You set the needle depth precisely in 0.5 mm steps. This lets you adapt the treatment to the face, neck and body areas.

SPECIFICATIONS

Technology	Microneedling with radiofrequency (MNRF)
Needle depth	0.5–3.5 mm in 0.5 mm steps
Tips	64 pins (8 × 8), 36 pins (6 × 6), insulated needles
Working mode	Auto / manual
Screen	10"
Dimensions	B 44 × T 44 × H 125 cm
Weight	42 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Skin firming and renewal
- Refining the look of pores
- Uneven skin texture
- Improving the look of stretch marks
- Anti-ageing treatments for face and neck

Precise depth control

0.5 to 3.5 mm in 0.5 mm steps, for gentle and more intensive protocols.

Two needle tips

64 or 36 insulated needles, depending on area and skin condition.

Clear interface

10-inch touchscreen with presets for body areas and a multi-language menu.

Details online →



Hydrodermabrasion · RF · Ultraschall · O_2

HYDRAFACIAL MULTI-FUNCTION DEVICE · FACE & SKIN

All in One Hydrafacial

The All in One Hydrafacial combines seven handpieces in one device. You can build a complete facial treatment with it, from deep cleansing to the final care step. For beauty studios and spas it is a versatile core device.

SPECIFICATIONS

Screen	10"
Handpieces	7
Modules	Aqua peel, multipolar RF, ultrasound, micro current (ION), cooling and heating probe, oxygen sprayer, BORE handle
Dimensions	45 × 39 × 30 cm
Weight	31 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Deep cleansing and aqua peel
- Gentle exfoliation of the skin surface
- Hydrating care with serums
- Care for sensitive, reddened skin with the cooling probe
- Firming care with RF and micro current
- Oxygen treatment with serum

Seven handpieces

Cleansing, exfoliation, RF, ultrasound, micro current, cooling and oxygen in one device.

Three-step protocol

Exfoliation, infusion and oxygen phase can be offered as a clear treatment protocol.

Compact build

At 45 × 39 × 30 cm and 31 kg the device also fits smaller treatment rooms.

Details online →



LED · 7 Farben · 400–700 nm

LED LIGHT SYSTEM · FACE & SKIN

Queen Light

Queen Light is an LED light system for facial care. Seven light colours cover different care goals, from anti-ageing to blemished skin. The treatment is comfortable and combines well with other facial treatments.

SPECIFICATIONS

Light source	Bio Light (SMD LED)
Colours	7
Wavelengths	400 / 432 / 462 / 490 / 522 / 622 nm, 400–700 nm
Working mode	Continuous / pulse
Light panel	360° rotation, automatic height adjustment
Dimensions	44 × 44 × 125 cm
Weight	42 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Anti-ageing care with red light
- Care for blemished skin with blue and purple light
- Evening out pigmentation with green and cyan light
- Calming visible redness with yellow light
- Add-on after peels, hydrafacials or microneedling

Seven light colours

Red, blue, green, yellow, purple, cyan and white for different care goals.

Continuous or pulse

Two working modes can be selected according to the protocol.

Easy positioning

The panel rotates 360° and adjusts its height automatically.

Details online →



Fractional CO_2 · 10600 nm

FRACTIONAL CO_2 LASER · FACE & SKIN

Ultrapulse Fractional CO_2 Laser

The Ultrapulse Fractional CO_2 Laser is built for intensive skin resurfacing. It works at 10600 nm and stimulates collagen production in a targeted way. Seven scan patterns and three scan modes let you match the treatment to area and skin condition.

SPECIFICATIONS

Wavelength	10600 nm
Laser source	RF metal laser tube
Scan patterns	7 patterns, 3 scan modes
Operating modes	3 modes, each with its own handpiece
Screen	10"
Dimensions (W × D × H)	44 × 44 × 112.5 cm
Weight	56 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Skin resurfacing and rejuvenation
- Firmer skin texture through collagen remodelling
- Refined pores
- Stretch marks
- Uneven skin texture and the look of scars

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of lasers on people.

Precise scanning

7 scan patterns and 3 scan modes (sequence, maximum distance, random) adapt to the shape and size of the area.

Stable laser source

An RF-excited metal laser tube delivers the energy for consistent results across many treatments.

Three working modes

Three modes, each with its own handpiece, make the device versatile, with fractional mode at its core.

Details online →



Fractional Thulium · 1927 nm

FRACTIONAL THULIUM LASER · FACE & SKIN

1927 nm Fractional Thulium Laser

The 1927 nm Fractional Thulium Laser works precisely in the epidermis and upper dermis. It creates controlled micro-coagulation zones that stimulate skin renewal without removing large areas of the skin surface. The result is a fresh, even complexion, often described as the baby skin effect.

SPECIFICATIONS

Wavelength	1927 nm
Laser medium	Thulium (Tm^{3+})
Method	Fractional, non-ablative to micro-ablative
Target chromophore	Water in tissue
Settings	Adjustable power, pulse and density
Housing colour	White or black, as you prefer

APPLICATIONS

- More even skin tone and pigment spots (physician treatment)
- Finer skin texture and smaller pores
- Fine lines and more elasticity
- Uneven skin and the look of acne scars
- Stretch marks
- Better uptake of serums after treatment

Water as target

1927 nm is absorbed by water in tissue and hardly by melanin. With careful settings the laser therefore suits many skin types.

Short downtime

Mild redness and a rough skin surface usually fade within a few days, much faster than after CO_2 resurfacing.

Flexible settings

Power, pulse duration and density can be adjusted, from a gentle refresh to intensive fractional resurfacing.

Details online →



Cold CRF · 20 MHz

COLD RADIOFREQUENCY · FACE & SKIN

20 MHz Cold CRF

Cold CRF warms the deeper skin layers while cooling the surface. For your clients it feels like a warm massage. Three tip sizes let you treat the eye area, face and body.

SPECIFICATIONS

Technology	Capacitive-coupled radiofrequency (CRF) with contact cooling
Frequency	20 MHz
Tissue temperature	65–70 °C
Handpiece	1 handpiece, tips 18 / 30 / 50 mm
Screen	10"
Dimensions	B 49 × T 49,5 × H 108 cm
Weight	39 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Lifting effect for the face
- V-shaped contour and defined jawline
- Skin firming
- Smoothing wrinkles
- Fresher-looking eye area with puffiness and dark circles
- Body contouring

Cool and warm

Cooling at the surface, heat in the depth, for a pleasant treatment feel.

Three tip sizes

18, 30 and 50 mm for the eye area, face and larger body areas.

Ergonomic handpiece

Reduces hand fatigue during long treatments.

Details online →



Cold CRF · 20 MHz · 2 Handstücke

COLD RADIOFREQUENCY, TABLETOP · FACE & SKIN

Ultra Tone 2 in 1

Ultra Tone puts Cold CRF technology into a compact tabletop device. The main handpiece with three tips covers the eye area, face and body. A second handpiece (VRL) is intended for use in the intimate area.

SPECIFICATIONS

Technology	Capacitive-coupled radiofrequency (CRF) with contact cooling
Frequency	20 MHz
Tissue temperature	65–70 °C
Handpieces	2: face/body with 18 / 30 / 50 mm tips, VRL handpiece for the intimate area
Screen	10"
Dimensions	B 45 × T 53 × H 36 cm
Weight	28 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Lifting effect for the face
- V-shaped contour
- Skin firming and smoothing wrinkles
- Fresher-looking eye area with puffiness and dark circles
- Body contouring

Compact

28 kg tabletop unit that fits smaller treatment rooms.

Two handpieces

One handpiece with 18, 30 and 50 mm tips plus a VRL handpiece.

Cool and warm

Contact cooling at the surface, heat in the depth, for a comfortable feel.

Details online →



Muskel- & Hautstimulation · Hands-free

FACIAL STIMULATION DEVICE · FACE & SKIN

ME-TIME

ME-TIME works on the face from the inside out: muscles and skin are addressed together in one session. The applicators stay in place during treatment, so your hands stay free. No needles, scalpels or fillers involved.

SPECIFICATIONS

Target layers	Facial muscles and skin simultaneously
Application	Hands-free, applicators are placed on the face
Method	Non-invasive, no needles or fillers
Design	Mobile floor unit with portrait touchscreen
Housing colour	White or black, as you prefer

APPLICATIONS

- Toning the facial muscles
- Smoothing wrinkles and fine lines
- Lifting effect for the facial contour
- Improving skin quality
- Needle-free anti-ageing courses

Hands-free

Applicators are placed on the face, leaving you free to consult or prepare.

Two layers at once

Muscle and skin are treated in the same session.

No downtime

Clients can usually return to their day straight after treatment.

Details online →



Meso-Applikator · -620 mmHg

MESOTHERAPY APPLICATOR · FACE & SKIN

Hydra Magic

Hydra Magic is a compact tabletop device that makes mesotherapy applications more consistent and easier to plan. Suction, delivery and release run automatically. At 2.5 kg it is light and also suited to mobile work.

SPECIFICATIONS

Suction pressure	-620 mmHg
Dosing accuracy	0,0083 cc
Cycle	Automatic: suction, delivery, release
Needles	Made in Korea
Dimensions	26 × 32 × 15 cm
Weight	2,5 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Consistent meso applications on the face
- Hydration-focused applications with hyaluronic products
- Precise dosing of small amounts
- Mobile use thanks to low weight

In Germany, applications that introduce products into the skin with needles are reserved for physicians and licensed Heilpraktiker.

Automatic cycle

Suction, delivery and release run automatically and repeatably.

Fine dosing

The delivered amount can be set with an accuracy of 0.0083 cc.

Light and handy

Ergonomic handpiece, 2.5 kg device weight, small footprint.

Details online →



Kryolipolyse · 360°

CRYOLIPOLYSIS SYSTEM · BODY CONTOURING

360° Cryolipolysis COOL 360

COOL 360 uses controlled cold on localised fat deposits that hardly respond to diet and exercise. The 360° surround cooling cools the whole area inside the cup evenly. The treatment is non-invasive.

SPECIFICATIONS

Technology	Cryolipolysis with 360° surround cooling
Applicators	4 sizes (handle A–D)
Cups	9 cups for different fat thickness
Simultaneous use	4 applicators separately or simultaneously
Interface	Touchscreen, parameters per body zone, multilingual menu
Housing colour	White or black, as you prefer

APPLICATIONS

- Double chin
- Abdomen and flanks
- Thighs
- Bra line and back
- Area under the buttocks
- Upper arms

360° surround cooling

Cold reaches the whole area inside the cup evenly. This is more uniform than classic two-sided cooling.

4 applicators, 9 cups

For small and large zones and different fat thickness. You choose the right size for every body area.

Parallel work

The 4 applicators can run separately or at the same time, on several zones or on different clients.

Details online →



HIFEM

HIFEM MUSCLE STIMULATION · BODY CONTOURING

Muscle Building Machine

The Muscle Building Machine trains abdomen, buttocks, arms, calves and thighs with focused electromagnetic pulses. The treatment is non-invasive and runs without constant supervision once started. It comes as EM CONTOURING or EM MAX, each with optional RF.

SPECIFICATIONS

Technology	HIFEM, high-intensity focused electromagnetic field
Contractions	up to 20,000 in 30 minutes
Applicators	2 sizes: abdomen/buttocks and arms/calves/thighs
Modes	4 modes (2 standard, 2 customisable)
Pulse stages	Warm-up, training, relaxation
Models	EM CONTOURING, EM MAX (RF optional)
Housing colour	White or black, as you prefer

APPLICATIONS

- Muscle building and toning
- Body contouring on abdomen and waist
- Buttock lifting
- Definition of arms, calves and thighs

Operator independent

Place the applicator, start the programme. Your team does not need to stay at the device for the whole session.

No consumables

There are no single-use parts per treatment. Running costs stay low.

4 modes

Two standard modes for less active and sporty clients, two customisable protocols for experienced practitioners.

Details online →



Vakuum · RF · Kavitation

MULTIFUNCTIONAL BODY SYSTEM · BODY CONTOURING

Multishape Body Slimming System VS+ / VS++

Multishape brings several body technologies into one device and comes in two versions. VS++ combines ultrasonic cavitation, multipolar RF, vacuum and LED light. VS+ works with vacuum, RF, infrared laser and a mechanical roller, including face and neck.

SPECIFICATIONS

Technologies VS++	Ultrasonic cavitation, multipolar RF, vacuum, LED light (red/blue)
Handpieces VS++	large, medium, small, cavitation
Pulse rate VS++	15 pulses per second, suction/release adjustable
Technologies VS+	Vacuum, RF, infrared laser, mechanical roller
Handpieces VS+	3 (body large, body medium, face/neck)
Screen VS+	15", 5 parameter sets can be saved
Dimensions / weight VS+	B 76 × T 51 × H 144 cm, 56 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Body shaping and contouring
- Improving the look of cellulite
- Skin tightening on body and face
- Waist and abdomen treatment
- Relaxing body massage
- Supporting circulation

Two versions

VS++ with cavitation and LED, VS+ with roller and infrared. We help you choose the version that fits your menu.


Handpieces per zone

Large, medium and small handpieces for abdomen, back, buttocks, legs, arms, face and eye area.

Easy operation

Intuitive touch interface. On VS+ you can save 5 parameter sets for recurring protocols.

Details online →



Robotik · RF 1 MHz

ROBOTIC RF BODY SYSTEM · BODY CONTOURING

Ande Smart

Ande Smart combines an intelligent robotic arm with radiofrequency. The arm performs the massage movements on its own and takes work off your team. Your clients get an even, repeatable treatment.

SPECIFICATIONS

RF frequency	1 MHz
RF power	1–100 W
Display	18.5" capacitive touchscreen, 1920 × 1080
Control	Robotic arm with AI probe and depth camera
Input voltage	200–240 V AC, 50/60 Hz
Machine size	611 × 535 × 1254 mm
Net weight	87 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Body shaping and contouring
- Skin tightening on the body
- Relaxing massage for tense muscles
- Heat application to support microcirculation
- Wellbeing treatments against fatigue

Robot arm, not manual work

The arm follows every body contour with consistent precision. Your staff stay free for other tasks.

Real-time adjustment

Pressure and intensity are fine-tuned throughout the session. The treatment stays comfortable and personal.

Collision detection

The arm detects obstacles in real time. The ergonomic, skin-friendly design supports a calm workflow.

Details online →



Diode · 1060 nm

DIODE LASER BODY CONTOURING · BODY CONTOURING

1060 nm Diode Laser Shape (LaserShape-A)

LaserShape-A uses 1060 nm laser light for body contouring on stubborn fat, for example on the belly and love handles. A session takes about 25 minutes. The treatment is non-invasive.

SPECIFICATIONS

Wavelength	1060 nm
Applicators	4, usable simultaneously
Spot size	40 × 80 mm
Session time	approx. 25 minutes
Screen	15"
Dimensions	B 59 × T 61 × H 145 cm
Weight	97 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Body contouring on the abdomen
- Flanks and hips
- Thighs
- Back
- Upper arms

In Germany, the NiSV requires a certificate of competence (Fachkundenachweis) for the cosmetic use of lasers on people.

4 applicators

All four work at the same time and can be placed freely on the zones you choose.

Short session

About 25 minutes per treatment. It fits well into a busy studio schedule.

Clear control

Colours A, B, C, D show the status of each applicator. An automatic alarm system supports monitoring.

Details online →



RF 448 kHz · CAP / RES

448 KHZ RADIOFREQUENCY · BODY CONTOURING

Legenda 448 kHz

Legenda works with a stable frequency of 448 kHz and delivers energy in two modes. This lets you reach both superficial and deeper tissue layers with one device. Body treatments feel like an intense warming application.

SPECIFICATIONS

Frequency	448 kHz
Working modes	Capacitive (CAP) and resistive (RES)
Electrodes	CAP and RES electrodes in several sizes
Operation	Automatic energy detection
Screen	8"
Dimensions	B 49 × T 50 × H 37 cm
Weight	22 kg
Housing colour	White or black, as you prefer

APPLICATIONS

- Body contouring
- Improving the look of cellulite
- Skin firming on body and face
- Soothing deep warmth as part of body treatments
- Combination with manual techniques

Two modes

CAP for superficial, well-vascularised layers, RES for denser, fatty tissue.

Wide electrode range

Electrodes in several sizes for small and large body areas.

Easy operation

8-inch screen with a clear interface and automatic energy detection.

Details online →



HIFEM · Stuhl

PELVIC FLOOR TRAINING CHAIR · BODY CONTOURING

ME BELLA

ME BELLA is a treatment chair for pelvic floor muscle training. Your clients simply sit down, fully clothed. The treatment is non-invasive and suitable for women and men.

SPECIFICATIONS

Technology	HIFEM, focused electromagnetic field
Design	Treatment chair, used seated and fully clothed
Contractions	approx. 11,000 in 30 minutes
Models	EM Bella / EM Bella Pro
Energy	EM Bella: 3 levels, EM Bella Pro: 1–100 %
Screen	EM Bella Pro: 15"
Voltage	110–220 V
Housing colour	White or black, as you prefer

APPLICATIONS

- Pelvic floor muscle training
- Stimulating and strengthening the pelvic floor
- Relaxed seated wellness treatment
- Add-on to body and figure programmes

Seated and clothed

No changing, no preparation. This lowers the threshold for clients and makes scheduling easy.

Many contractions per session

Around 11,000 contractions in 30 minutes, far more than self-guided exercises in the same time.

Two models

EM Bella with 3 energy levels or EM Bella Pro with 15" screen and adjustment from 1 to 100 %.

Details online →



3 light sources · 35 MP

SKIN ANALYSIS SYSTEM · SKIN ANALYSIS

ViewSkin 4D Skin Analyzer

The ViewSkin 4D Skin Analyzer makes your clients' skin condition visible, on the surface and in deeper layers. The images give your consultation a clear basis. You can recommend treatments and care products in a way clients can follow.

SPECIFICATIONS

Camera	Industrial camera, 35 megapixels
Light sources	Standard light, cross-polarised light, UV light
Operation	HD touchscreen
Shielding	Darkroom cloth
Client data	Archive in the system
System language	English, Chinese
Housing colour	White or black, as you prefer

APPLICATIONS

- Analysis of pores and skin texture
- Visualising wrinkles and roughness
- Showing superficial and deep pigmentation
- Detecting blemishes and superficial redness
- Assessing sensitive skin
- Before and after documentation of a treatment series

Three light modes

Standard, cross-polarised and UV light reveal different skin features.

35 MP camera

Detailed images as a basis for consultation and documentation.

Client archive

All analyses are stored in the system and can be compared later.

Details online →



Skin analysis system

SKIN ANALYSIS SYSTEM · SKIN ANALYSIS

ViewSkin Medical Skin Analyzer

The ViewSkin Medical Skin Analyzer is the larger configuration of the ViewSkin skin analysis range. It consists of a semi-circular imaging unit, a separate monitor and a dedicated PC unit. This makes it suited to a permanent analysis station in a clinic or institute.

SPECIFICATIONS

Components	Imaging unit, separate monitor, PC unit
Imaging unit	Semi-circular face booth with chin rest
Technical data	On request
Housing colour	White or black, as you prefer

APPLICATIONS

- In-depth skin analysis before treatment planning
- Reviewing images together on a large monitor
- Documenting treatment progress
- Permanent analysis station in a clinic or institute

Enclosed imaging booth

The semi-circular booth keeps conditions consistent for every image.

Large monitor

Results can be discussed with the client in a clearly visible format.

Dedicated PC unit

Evaluation and archiving run on a separate computer.

Details online →

CONTACT

Let's talk about your studio

Tell us which treatment you want to offer. We usually reply within one working day.

EMAIL	info@lepser.de
PHONE	+49 170 6756623
WHATSAPP	+49 170 6756623
WEB	lepser.de/en/
ADDRESS	LEPSER Germany · Himmelgeister Straße 129 · 40225 Düsseldorf

Scan the QR code: contact & consultation

Specifications according to the manufacturer. Subject to change and errors. Sold to business customers only. Images may differ from the scope of delivery. As of November 2026.